

	Hits	Search Text	DBs
1	7521	display with light\$3 with power	US-PGPUB; USPAT
2	193	display with light\$3 with (control\$4 near power)	US-PGPUB; USPAT
3	46	(display with light\$3 with (control\$4 near power)) and radio	US-PGPUB; USPAT
4	12	(display with light\$3 with (control\$4 near power)) same communicat\$4	US-PGPUB; USPAT
5	5522	(detect\$3 with operation) same (control\$4 with light\$3)	US-PGPUB; USPAT
6	1592	((detect\$3 with operation) same (control\$4 with light\$3)) and led\$1	US-PGPUB; USPAT
7	1045	((detect\$3 with operation) same (control\$4 with light\$3)) same power	US-PGPUB; USPAT
8	458	((detect\$3 with operation) with (control\$4 with light\$3)) with power	US-PGPUB; USPAT
9	679	(detect\$3 with operation) same ((control\$4 with light\$3) with power)	US-PGPUB; USPAT
10	8	((detect\$3 with operation) with (control\$4 with light\$3)) with power) same radio	US-PGPUB; USPAT
11	83	((detect\$3 with operation) with (control\$4 with illuminat\$4)) with power)	US-PGPUB; USPAT
12	43	((detect\$3 with operation) with (control\$4 with illuminat\$4)) with power)) with display	US-PGPUB; USPAT
13	64	(display near3 illuminat\$5) with ((reduc\$3 or sav\$3 or conserv\$5) near power)	US-PGPUB; USPAT
14	686	(display near3 illuminat\$5) with (receiv\$3)	US-PGPUB; USPAT
15	4	(display near3 illuminat\$5) with (unit\$1 near activ\$5)	US-PGPUB; USPAT
16	0	(display near3 illuminat\$5) with (component\$1 near activ\$5)	US-PGPUB; USPAT
17	6	(display near3 illuminat\$5) same (component\$1 near activ\$5)	US-PGPUB; USPAT
18	9	(display near3 illuminat\$5) same (unit\$1 near activ\$5)	US-PGPUB; USPAT
19	1077	(display near3 illuminat\$5) with (transmi\$5)	US-PGPUB; USPAT
20	6	(display near3 illuminat\$5) with (receiv\$3 near2 call)	US-PGPUB; USPAT

	Hits	Search Text	DBs
21	36	(display near3 illuminat\$5) with (incoming)	US-PGPUB; USPAT
22	225	(display near3 illuminat\$5) with (transmitting)	US-PGPUB; USPAT
23	178	(display near3 illuminat\$5) with (communicat\$4)	US-PGPUB; USPAT
24	27	(display near3 illuminat\$5) with (communicat\$4) with unit	US-PGPUB; USPAT
25	28	(display near3 illuminat\$5) with (transmi\$5) with power	US-PGPUB; USPAT
26	8	((display near3 illuminat\$5) with (communicat\$4)) same brightness	US-PGPUB; USPAT
27	526	(display near3 illuminat\$5) with (intensity)	US-PGPUB; USPAT
28	488	(display near3 illuminat\$5) with (brightness)	US-PGPUB; USPAT
29	0	((display near3 illuminat\$5) with (communicat\$4)) same (brightness or intensity) same power	US-PGPUB; USPAT
30	278	((display near3 illuminat\$5)) same (brightness or intensity) same power	US-PGPUB; USPAT
31	8	((display near3 illuminat\$5) with (communicat\$4)) same (brightness or intensity) and power	US-PGPUB; USPAT
32	83	((display near3 illuminat\$5)) same (brightness or intensity) same power) and (radio or phone or telephone)	US-PGPUB; USPAT
33	95	((display near3 illuminat\$5)) same (brightness or intensity) same power) and (communicat\$4)	US-PGPUB; USPAT
34	657	dim\$4 with transmitt\$3	US-PGPUB; USPAT
35	22	dim\$4 with transmitt\$3 with display	US-PGPUB; USPAT
36	32	dim\$4 with transmission with display	US-PGPUB; USPAT
37	58	dim\$4 with receiv\$3 with display	US-PGPUB; USPAT
38	29	dim\$4 with idle with display	US-PGPUB; USPAT
39	28	dim\$4 with use with display	US-PGPUB; USPAT
40	0	dim\$4 with busy with display	US-PGPUB; USPAT
41	23	(dim\$4 near2 display) with detect\$4	US-PGPUB; USPAT
42	25	(dim\$4 near2 display) with process\$4	US-PGPUB; USPAT
43	1	(dim\$4 near2 display) with drain\$3	US-PGPUB; USPAT
44	45	(dim\$4 near2 display) with power	US-PGPUB; USPAT
45	2	(dim\$4 near2 display) with usage	US-PGPUB; USPAT
46	59	(dim\$4 near2 display) with activ\$5	US-PGPUB; USPAT

	Hits	Search Text	DBs
47	124	(reduc\$4 near2 power) with processing with component	US-PGPUB; USPAT
48	36	(reduc\$4 near2 power) with (component near (active or use or usage))	US-PGPUB; USPAT
49	4	(compensat\$4 near2 power) with (component near (active or use or usage))	US-PGPUB; USPAT
50	33	(dim\$4 near2 display) with during	US-PGPUB; USPAT
51	2022	(reduc\$4 with display) with during	US-PGPUB; USPAT
52	4022	dim\$4 with during	US-PGPUB; USPAT
53	800	(reduc\$4 near4 display) with during	US-PGPUB; USPAT
54	330	reduc\$4 near4 display near3 during	US-PGPUB; USPAT
55	65	dim\$4 with during with active	US-PGPUB; USPAT
56	67	(reduc\$4 near4 display near3 during) and illuminat\$5	US-PGPUB; USPAT
57	2	(reduc\$4 near4 display near3 during) with illuminat\$5	US-PGPUB; USPAT
58	100	re\$1allocat\$4 near2 power	US-PGPUB; USPAT
59	1	(re\$1allocat\$4 near2 power) same display	US-PGPUB; USPAT
60	457	(off near2 display) with during	US-PGPUB; USPAT
61	90	(disabl\$4 near2 display) with during	US-PGPUB; USPAT
62	343	((off near2 display) with during) and power	US-PGPUB; USPAT
63	68	((disabl\$4 near2 display) with during) and power	US-PGPUB; USPAT
64	15	((disabl\$4 near2 display) with during) same power	US-PGPUB; USPAT
65	126	((off near2 display) with during) same power	US-PGPUB; USPAT
66	25	((off near2 display) with during) same power same (send\$3 or receiv\$3)	US-PGPUB; USPAT
67	52	(re\$1allocat\$4 near2 power) and display	US-PGPUB; USPAT
68	810	((disabl\$4 or off) near2 display) and wireless	US-PGPUB; USPAT
69	76	((dim\$4) near2 display) and wireless	US-PGPUB; USPAT
70	854	((disabl\$4 or off or dim\$4) near2 display) and wireless	US-PGPUB; USPAT
71	274	((disabl\$4 or off or dim\$4) near2 display) same power) and wireless	US-PGPUB; USPAT
72	142	((disabl\$4 or off or dim\$4) near2 display) with power) and wireless	US-PGPUB; USPAT

	Hits	Search Text	DBs
73	262	((disabl\$4 or off or dim\$4) near2 display) same power) and wireless and communicat\$5	US-PGPUB; USPAT
74	135	((disabl\$4 or off or dim\$4) near2 display) with power) and wireless and communicat\$5	US-PGPUB; USPAT
75	176	(battery with draw\$3 with current) same display	US-PGPUB; USPAT
76	40	(battery with draw\$3 with current) same (display with (off or disabl\$3 or dim\$4))	US-PGPUB; USPAT
77	2446	(battery) same (display with (off or disabl\$3 or dim\$4))	US-PGPUB; USPAT
78	215	(battery) same (display with (off or disabl\$3 or dim\$4)) same (notebook or portable)	US-PGPUB; USPAT
79	48	(battery) same (display with (off or disabl\$3 or dim\$4)) same ((notebook or portable) near computer)	US-PGPUB; USPAT
80	373	backlight\$3 with active	US-PGPUB; USPAT
81	472	backlight\$3 with during	US-PGPUB; USPAT
82	2	backlight\$3 with (active near2 component)	US-PGPUB; USPAT
83	5	backlight\$3 with during with activity	US-PGPUB; USPAT
84	342	backlight\$3 with ((sav\$3 or conserv\$5 or reduc\$4) near2 power)	US-PGPUB; USPAT
85	423	backlight\$3 with detect\$3	US-PGPUB; USPAT
86	513	((disabl\$4 or off or dim\$4) near2 display) with detect\$3	US-PGPUB; USPAT
87	23	((disabl\$4 or off or dim\$4) near2 display) with (detect\$3 near (activ\$5 or operat\$5))	US-PGPUB; USPAT
88	11	backlight\$3 with (detect\$3 near (activ\$5 or operat\$5))	US-PGPUB; USPAT
89	17	backlight\$3 with active	EPO; JPO
90	36	backlight\$3 with during	EPO; JPO
91	74	backlight\$3 with ((sav\$3 or conserv\$5 or reduc\$4) near2 power)	EPO; JPO
92	2	"6205343"	US-PGPUB; USPAT
93	1	"5204986".PN.	USPAT
94	7	("5204986" "5222076" "5361397" "5446759" "5509015" "5519762" "5530911").pn.	US-PGPUB; USPAT

	Hits	Search Text	DBs
95	5	((("5204986" "5222076" "5361397" "5446759" "5509015" "5519762" "5530911").pn.) and detect\$5	US-PGPUB; USPAT
96	12537	active near3 detect\$5	US-PGPUB; USPAT
97	108	(active near3 detect\$5) and 713/3\$2	US-PGPUB; USPAT
98	64	(active near3 detect\$5) and 713/3\$2 and (display)	US-PGPUB; USPAT
99	14	((active near3 detect\$5) same (display or screen)) and 713/3\$2	US-PGPUB; USPAT
100	2	((detect\$3 near2 busy) same (display or screen)) and 713/3\$2	US-PGPUB; USPAT
101	59	((detect\$3 near2 operati\$3) same (display or screen)) and 713/3\$2	US-PGPUB; USPAT
102	108	(detect\$3 near2 transmi\$5) and 713/3\$2	US-PGPUB; USPAT
103	2643	((detect\$3 near2 transmi\$5) same (display or screen))	US-PGPUB; USPAT
104	6	((detect\$3 near2 transmi\$5) same (display or screen)) and 713/3\$2	US-PGPUB; USPAT
105	16	(detect\$3 near2 transmi\$5) and 713/3\$2 and wireless	US-PGPUB; USPAT
106	17591	detect near4 operation	US-PGPUB; USPAT
107	0	display with when with busy	US-PGPUB; USPAT
108	0	display with when	US-PGPUB; USPAT
109	0	display with while with busy	US-PGPUB; USPAT
110	379	display with during with use	US-PGPUB; USPAT
111	2	backlight with during with use	US-PGPUB; USPAT
112	18	(display with during with use) and (713/3\$2 or "455"/\$3)	US-PGPUB; USPAT
113	142	(detect near4 operation) and 713/3\$2	US-PGPUB; USPAT
114	301	(detect near4 (use\$1 or usage)) and 713/3\$2	US-PGPUB; USPAT
115	55	(detect near4 active) and 713/3\$2	US-PGPUB; USPAT
116	9	("5167024" "5218704" "5388265" "5430881" "5440747" "5495617" "5560024" "5579493" "5649213").pn.	US-PGPUB; USPAT
117	8	((("5167024" "5218704" "5388265" "5430881" "5440747" "5495617" "5560024" "5579493" "5649213").pn.) and detect\$3	US-PGPUB; USPAT
118	0	((disabl\$4 near2 display) with during) same power	IBM_TDB
119	1	display with light\$3 with (control\$4 near power)	IBM_TDB

	Hits	Search Text	DBs
120	0	(display near3 illuminat\$5) with ((reduc\$3 or sav\$3 or conserv\$5) near power)	IBM_TDB
121	27	(display near3 illuminat\$5) with ((reduc\$3 or sav\$3 or conserv\$5) near power)	EPO; JPO
122	9293	(light\$3 or illuminat\$5) with receiv\$3 with display	US-PGPUB; USPAT
123	3676	((light\$3 or illuminat\$5) near3 display) with receiv\$3	US-PGPUB; USPAT
124	67	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with radio	US-PGPUB; USPAT
125	71	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with call	US-PGPUB; USPAT
126	3257	(light\$3 or illuminat\$5) with receiv\$3 with display	EPO; JPO
127	1152	((light\$3 or illuminat\$5) near3 display) with receiv\$3	EPO; JPO
128	46	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with radio	EPO; JPO
129	44	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with call	EPO; JPO
130	73	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with power	EPO; JPO
131	75	((light\$3 or illuminat\$5) near3 display) with receiv\$3) same ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)	US-PGPUB; USPAT
132	7	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with (off or dim\$4)) same ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)	US-PGPUB; USPAT
133	1	"4982424".PN.	USPAT
134	10	((light\$3 or illuminat\$5) near3 display) with transmi\$5 with (off or dim\$4)) same ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)	US-PGPUB; USPAT
135	0	((light\$3 or illuminat\$5) near3 display) with communicat\$5 with (off or dim\$4)) same ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)	US-PGPUB; USPAT

	Hits	Search Text	DBs
136	41	((light\$3 or illuminat\$5) near3 display) with receiv\$3 with (off or dim\$4)) and ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)	US-PGPUB; USPAT
137	3	((light\$3 or illuminat\$5) near3 display) with ((enough or insufficient or sufficient or available) near2 power)	EPO; JPO
138	155	((light\$3 or illuminat\$5)) with ((enough or insufficient or sufficient or available) near2 power)	EPO; JPO
139	0	((display or lcd or backlight) with (dim\$4 or off)) with ((enough or insufficient or sufficient or available) near2 power)	EPO; JPO
140	3	((light\$3 or illuminat\$5) with (dim\$4 or off)) with ((enough or insufficient or sufficient or available) near2 power)	EPO; JPO
141	57	((display or lcd or backlight or led)) with ((enough or insufficient or sufficient or available) near2 power)	EPO; JPO
142	3	((display or lcd or backlight or led)) with ((enough or insufficient or sufficient or available) near2 power)) and radio	EPO; JPO
143	11	((display or lcd or backlight or led)) with ((enough or insufficient or sufficient or available) near2 power) and (receiv\$3 or transmi\$6)	EPO; JPO
144	660	((display or lcd or backlight or led)) with ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)) same (receiv\$3 or transmi\$6)	EPO; JPO
145	53	((display or lcd or backlight or led)) with ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power) with (dim\$4 or off)) same (receiv\$3 or transmi\$6)	EPO; JPO
146	62	((light\$3 or illuminat\$5) near3 display) with ((enough or insufficient or sufficient or available) near2 power)	US-PGPUB; USPAT

	Hits	Search Text	DBs
147	1269	((display or lcd or backlight or led)) with ((enough or insufficient or sufficient or available) near2 power)	US-PGPUB; USPAT
148	325	((display or lcd or backlight or led)) with ((enough or insufficient or sufficient or available) near2 power)) and radio	US-PGPUB; USPAT
149	35	((display or lcd or backlight) with (dim\$4 or off)) with ((enough or insufficient or sufficient or available) near2 power)	US-PGPUB; USPAT
150	143	((light\$3 or illuminat\$5) with (dim\$4 or off)) with ((enough or insufficient or sufficient or available) near2 power)	US-PGPUB; USPAT
151	134	((light\$3 or illuminat\$5) with (dim\$4 or off)) with ((enough or insufficient or sufficient or available) near2 power)) and (receiv\$3 or transmi\$6)	US-PGPUB; USPAT
152	20	((light\$3 or illuminat\$5) with (dim\$4 or off)) with ((enough or insufficient or sufficient or available) near2 power)) same (receiv\$3 or transmi\$6)	US-PGPUB; USPAT
153	165	(chang\$3 with (light or display or backlight) with mode) with (active)	US-PGPUB; USPAT
154	766	(chang\$3 with (light or display or backlight) with mode) with (receiv\$3)	US-PGPUB; USPAT
155	145	((chang\$3 with (light or display or backlight) with mode) with (receiv\$3)) and radio	US-PGPUB; USPAT
156	114	((chang\$3 with (display or backlight) with mode) with (receiv\$3)) and radio	US-PGPUB; USPAT
157	110	((chang\$3 with (light or display or backlight) with mode) with (receiv\$3)) and radio and power	US-PGPUB; USPAT
158	44	((chang\$3 with (light or display or backlight) with mode) with (receiv\$3)) and radio and ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power)	US-PGPUB; USPAT

	Hits	Search Text	DBs
159	1040	power near3 budget\$4	US-PGPUB; USPAT
160	876	power adj budget\$4	US-PGPUB; USPAT
161	37	(power adj budget\$4) with detect\$3	US-PGPUB; USPAT
162	78	(power adj budget\$4) with components	US-PGPUB; USPAT
163	39	(power adj budget\$4) with units	US-PGPUB; USPAT
164	7	(power adj budget\$4) with display	US-PGPUB; USPAT
165	29	(power adj budget\$4) same display	US-PGPUB; USPAT
166	1	power adj budgetting	US-PGPUB; USPAT
167	17	power adj budgeting	US-PGPUB; USPAT
168	275	((display or lcd or backlight or led)) with ((sav\$3 or reduc\$5 or consum\$5 or conserv\$5) with power) with (dim\$4 or off)) same (receiv\$3 or transmi\$6)	US-PGPUB; USPAT
169	1	(power adj budget\$4) with disabl\$4	US-PGPUB; USPAT
170	83	laptop with monitor with lcd	US-PGPUB; USPAT
171	0	laptop with monitor with lcd with off	US-PGPUB; USPAT
172	0	laptop with monitor with lcd with disable	US-PGPUB; USPAT
173	0	laptop with monitor with lcd with disabl\$3	US-PGPUB; USPAT
174	0	laptop with monitor with (lcd or screen) with disabl\$3	US-PGPUB; USPAT
175	0	laptop with monitor with (lcd or screen) with plugged	US-PGPUB; USPAT
176	8	laptop with monitor with (lcd or screen) with connected	US-PGPUB; USPAT
177	0	(detect\$3 with (external adj monitor)) with lap\$1top	US-PGPUB; USPAT
178	2	(detect\$3 with (external adj monitor)) with off	US-PGPUB; USPAT
179	13	(external adj monitor) with lap\$1top	US-PGPUB; USPAT
180	71	detect\$3 with (external adj monitor)	US-PGPUB; USPAT
181	63	((portable adj computer) or lap\$1top) same (external adj monitor)	US-PGPUB; USPAT
182	1	"6243727"	US-PGPUB; USPAT
183	52	"5477415"	US-PGPUB; USPAT
184	1716	(monitor adj3 operat\$6) with indicat\$5	US-PGPUB; USPAT
185	3909	(monitor adj3 operat\$6) with signal	US-PGPUB; USPAT
186	416	(monitor adj3 operat\$6) with signal with indicat\$6	US-PGPUB; USPAT

	Hits	Search Text	DBs
187	164	(monitor adj operat\$6) with signal with indicat\$6	US-PGPUB; USPAT
188	86	(monitor adj operat\$6) with (signal near2 indicat\$6)	US-PGPUB; USPAT
189	0	((monitor adj operat\$6) with (signal near2 indicat\$6)) same lap\$1top	US-PGPUB; USPAT
190	0	((monitor adj operat\$6) with (signal near2 indicat\$6)) same (portable adj computer)	US-PGPUB; USPAT
191	1	((monitor adj3 operat\$6) with signal) same (portable adj computer)	US-PGPUB; USPAT
192	3	((monitor adj3 operat\$6) with signal) same ((portable adj computer) or lap\$1top)	US-PGPUB; USPAT
193	0	((monitor adj3 operat\$6) with indicat\$5) same ((portable adj computer) or lap\$1top)	US-PGPUB; USPAT
194	2369	(monitor adj3 (on or operat\$6)) with detect\$3	US-PGPUB; USPAT
195	5	((monitor adj3 (on or operat\$6)) with detect\$3) same ((portable adj computer) or lap\$1top)	US-PGPUB; USPAT
196	12	(monitor with detect\$3) with ((portable adj computer) or lap\$1top)	US-PGPUB; USPAT
197	70	(monitor with detect\$3) same ((portable adj computer) or lap\$1top)	US-PGPUB; USPAT
198	0	monitor with detect\$3 with on	US-PGPUB; USPAT
199	5715	monitor with detect\$3 with connect\$3	US-PGPUB; USPAT
200	177	(external adj (display or monitor)) with detect\$3	US-PGPUB; USPAT
201	40	(external adj (display or monitor)) with detect\$3 with connect\$4	US-PGPUB; USPAT
202	0	(radio with backlight) same (receiver with off)	US-PGPUB; USPAT
203	12	radio with backlight with off	US-PGPUB; USPAT
204	3	("4882517" "5384577" "5790214").PN.	USPAT
205	0	"6255781".URPN.	USPAT
206	12	radio with backlight with off	US-PGPUB; USPAT
207	8	receiver with backlight with off	US-PGPUB; USPAT
208	1	transceiver with backlight with off	US-PGPUB; USPAT
209	1	transmitter with backlight with off	US-PGPUB; USPAT
210	2244	(detect\$3 adj (radio))	US-PGPUB; USPAT

	Hits	Search Text	DBs
211	27	(detect\$3 adj (radio adj activ\$5))	US-PGPUB; USPAT
212	13	(detect\$3 adj (\$4ceiver adj activ\$5))	US-PGPUB; USPAT
213	10	(detect\$3 adj (transmitter adj activ\$5))	US-PGPUB; USPAT
214	6	(detect\$3 adj (transceiver adj activ\$5))	US-PGPUB; USPAT
215	3981	(detect\$3 or determin\$5) near3 (transmitter or transceiver or radio or receiver) near2 (activ\$5 or operat\$5)	US-PGPUB; USPAT
216	1398	(detect\$3 or determin\$5) near3 ((transmitter or transceiver or radio or receiver) adj (activ\$5 or operat\$5))	US-PGPUB; USPAT
217	83	((detect\$3 or determin\$5) near3 ((transmitter or transceiver or radio or receiver) adj (activ\$5 or operat\$5))) and ((power or sleep) adj (mode or state))	US-PGPUB; USPAT
218	99	((detect\$3 or determin\$5) near3 ((transmitter or transceiver or radio or receiver) adj (activ\$5 or operat\$5))) and ((power or sleep) adj (mode or state or conserv\$5))	US-PGPUB; USPAT
219	8	((detect\$3 or determin\$5) near3 ((transmitter or transceiver or radio or receiver) adj (activ\$5 or operat\$5))) and ((power) adj (manag\$5))	US-PGPUB; USPAT
220	0	((detect\$3 or determin\$5) near3 ((transmitter or transceiver or radio or receiver) adj (activ\$5 or operat\$5))) and ((power) adj (manag\$5))	EPO; JPO
221	0	((detect\$3 or determin\$5) near3 ((transmitter or transceiver or radio or receiver) adj (activ\$5 or operat\$5))) and ((power or sleep) adj (mode or state or conserv\$5))	EPO; JPO
222	21	(transmitter or transceiver or radio or receiver) with backlight with off	US-PGPUB; USPAT
223	4	(transmitter or transceiver or radio or receiver) with backlight with off	EPO; JPO

	Hits	Search Text	DBs
224	3466	((sav\$3 or conserv\$6) near3 power) with (transmi\$6)	US-PGPUB; USPAT
225	216	S224 with (lcd or display or screen or light\$4)	US-PGPUB; USPAT
226	18	S224 with ((lcd or display or screen or light\$4) near3 (disabl\$3 or off or down or dim\$5))	US-PGPUB; USPAT
227	18	S224 with ((lcd or display or screen or light\$4) near3 (disabl\$3 or off or dim\$5))	US-PGPUB; USPAT
228	726	((sav\$3 or conserv\$6) near3 power) with (transmi\$6)	EPO; JPO
229	0	S224 with (lcd or display or screen or light\$4)	EPO; JPO
230	428	back\$1light with response	US-PGPUB; USPAT
231	133	back\$1light near3 response	US-PGPUB; USPAT
232	42	back\$1light near response	US-PGPUB; USPAT
233	5	(back\$1light near3 response) with selectiv\$6	US-PGPUB; USPAT
234	5	"6141568"	US-PGPUB; USPAT
235	1	"6631192"	US-PGPUB; USPAT
236	1	"20010011979"	US-PGPUB; USPAT
237	1	"2000022786"	EPO; JPO
238	2	"10200426"	EPO; JPO
239	1	"08156434"	EPO; JPO
240	1	"09321853"	EPO; JPO
241	92	(reduc\$6 near3 current) same (backlight\$5)	US-PGPUB; USPAT
242	37	(reduc\$6 near3 current) with (backlight\$5)	US-PGPUB; USPAT
243	2	(reduc\$6 near3 current) with (backlight\$5) same resistor\$6	US-PGPUB; USPAT
244	8	(reduc\$6 near3 current) same (backlight\$5) same resistor\$3	US-PGPUB; USPAT
245	20	((reduc\$6 near3 current) same (backlight\$5)) and (power with (sav\$4 or conserv\$6))	US-PGPUB; USPAT
246	255	((reduc\$6 near3 current) and (backlight\$5)) and (power with (sav\$4 or conserv\$6))	US-PGPUB; USPAT
247	87	((reduc\$6 near3 current) same light\$4) and (power with (sav\$4 or conserv\$6)) and (backlight\$5)	US-PGPUB; USPAT

	Hits	Search Text	DBs
248	66	((reduc\$6 near3 current) with display) and (power with (sav\$4 or conserv\$6)) and (backlight\$5)	US-PGPUB; USPAT
249	6	(reduc\$6 near3 current) same (backlight\$5)	EPO; JPO
250	0	((reduc\$6 near3 current) and (backlight\$5)) and (power with (sav\$4 or conserv\$6))	EPO; JPO
251	0	((reduc\$6 near3 current) same light\$4) and (power with (sav\$4 or conserv\$6)) and (backlight\$5)	EPO; JPO
252	1383	345/102	US-PGPUB; USPAT
253	58	345/102 and (component with (active or operation\$6))	US-PGPUB; USPAT
254	0	345/102 and (component with (use))	US-PGPUB; USPAT
255	220	345/102 and (unit with (active or operation\$6))	US-PGPUB; USPAT
256	582	345/102 and ((detect\$6 or determin\$7) with (active or operation\$6 or us\$3))	US-PGPUB; USPAT
257	303	345/102 and ((detect\$6 or determin\$7) with (active or operation\$6 or usage))	US-PGPUB; USPAT
258	289	345/102 and ((detect\$6 or determin\$7) with (active or operation\$6))	US-PGPUB; USPAT
259	568	345/102 and ((detect\$6 or determin\$7) with (us\$3 or operation\$6))	US-PGPUB; USPAT
260	88	345/102 and ((detect\$6 or determin\$7) near2 (active or operation\$6 or usage))	US-PGPUB; USPAT
261	134	345/102 and ((detect\$6 or determin\$7) near3 (active or operation\$6 or usage))	US-PGPUB; USPAT
262	24	345/102 and (((detect\$6 or determin\$7) near3 (active or operation\$6 or usage)) with power\$3)	US-PGPUB; USPAT
263	8	379/372 and (((detect\$6 or determin\$7) near3 (active or operation\$6 or usage)) with power\$3)	US-PGPUB; USPAT
264	246	(reduc\$4 near2 power) with processing with component	US-PGPUB; USPAT

	Hits	Search Text	DBs
265	0	((reduc\$6 near3 current) same light\$4) and (power with (sav\$4 or conserv\$6)) and (backlight\$5)	EPO; JPO
266	0	(back\$1light near3 response) with selectiv\$6	EPO; JPO
267	17	MOTOHASHI.in. and TERUYUKI.in.	US-PGPUB; USPAT
268	93	((reduc\$6 near3 current) same light\$4) and (power with (sav\$4 or conserv\$6)) and (backlight\$5)	US-PGPUB; USPAT
269	5	(back\$1light near3 response) with selectiv\$6	US-PGPUB; USPAT
270	29	(reduc\$4 near2 power) with processing with component	EPO; JPO